


Fig. 2.


(a) Prompt Gamma Neutron Activation Analysis



Neutron + nucleus = nucleus with extra neutron + characteristic gamma ray


The photon (gamma) that is emitted has a characteristic wavelength (color) that identifies the element.

(b) Delayed Gamma Neutron Activation Analysis




Neutron + nucleus = activated nucleus with extra neutron
which emits a characteristic gamma ray when it decays


Bulk Material Property Analysis with Neutrons



(c) Neutron Energy before Entering Material
(slight energy scattering due to neutrons passing through neutron generator)




(d) Neutron Energy after Passing through Material
(marked energy scattering due to material properties)



(e) By comparing neutron fluxes before and after passing through the material, various material properties can be calculated, including density, thickness, porosity, and moisture content.

Fig. 3.

10058561.012402



Thermal Neutron + Boron-10 = Energetic Lithium-7 + Energetic Alpha

Fig. 4a.




Fig. 4b.




Fig. 5.




Fig. 6.




Fig. 8.

10096561.012802












Fig. 7.

Key for Symbols Used in Figures 7, 9, and 33

 electron		gaseous discharge particle has energy for collision (above thermal equilibrium)
 positive ion (such as deuterium)		collision
 fast neutral (such as deuterium)		neutron
 background gas (such as deuterium)		helium-3









Fig. 9.



40 region of greatest
neutron intensity






Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.

10098561.012802




Fig. 15.




Fig. 16.

10058561.012802




Fig. 17.




Fig. 18.

10058561.012802




Fig. 19.




Fig. 20.




Fig. 21.

10058561.012802




Fig. 22.




Fig. 23(a).




Fig. 24.




Fig. 25.




Fig. 26.




Fig. 27a.




Fig. 27b.




Fig. 27c.




Fig. 28.




Fig. 29.

10058561-012502




Figure 30a.




Figure 30b.




Figure 30c.




Figure 30d.

10058551-012902




Figure 31.




Figure 32.




Figure 33a.








Figure 33b.



10059561.012802




Figure 36.




Fig. 37.




Fig. 38.




Fig. 39.

10058561-012802





Fig. 40.



Technical Innovations

Fig. 41.

10058561.012602




Fig. 42.




Fig. 43.




Fig. 44.

10058961.012602




Fig. 45.




Fig. 46.

10058961.012202




Fig. 47.




Fig. 48.

10053561.012802

10093561-012802




Fig. 49.




Fig. 50.




Figure 51.




Figure 52.




Figure 53.

10058561.012802




Fig. 54 (a).




Fig. 54 (b).




Fig. 55 (a).




Fig. 55 (b).




Fig. 55(c).




Fig. 56.

10093561.012802




Fig. 57.




Fig. 58.

10058561.012602
 20240909




Fig. 59.

Approved for Release 2009/01/01 : CIA-RDP80-01000A000100010001-9